

(12) PATENT APPLICATION PUBLICATION

(21) Application No.202311074920 A

(19) INDIA

(22) Date of filing of Application :02/11/2023

(43) Publication Date : 01/12/2023

(54) Title of the invention : BUNION TOE CORRECTING DEVICE

(51) International classification :A61H0001020000, F25D0023020000, G09G0005000000, G06F0003010000, A61H0023020000

(86) International Application No :NA  
Filing Date :NA

(87) International Publication No : NA

(61) Patent of Addition to Application Number :NA  
Filing Date :NA

(62) Divisional to Application Number :NA  
Filing Date :NA

(71)Name of Applicant :

**1)Noida Institute of Engineering and Technology, Greater Noida**

Address of Applicant :Plot No. -19, Knowledge Park-II, Institutional Area, Greater Noida, Uttar Pradesh-201306, India. Greater Noida -----

**2)Noida Institute of Engineering and Technology (Pharmacy Institute)**

Name of Applicant : NA

Address of Applicant : NA

(72)Name of Inventor :

**1)Dr. Rekha Gupta**

Address of Applicant :Department of Physics, Noida Institute of Engineering and Technology, Greater Noida, Plot No. -19, Knowledge Park-II, Institutional Area, Greater Noida, Uttar Pradesh-201306, India. Greater Noida -----

**2)Arvind Kumar**

Address of Applicant :Department of Biotechnology, Noida Institute of Engineering and Technology, Greater Noida, Plot No. -19, Knowledge Park-II, Institutional Area, Greater Noida, Uttar Pradesh-201306, India. Greater Noida -----

**3)Ranjeet Kumar Yadav**

Address of Applicant :Department of Pharmacy, Noida Institute of Engineering and Technology (Pharmacy Institute), Plot No. -19, Knowledge Park-II, Institutional Area, Greater Noida, Uttar Pradesh-201306, India. Greater Noida -----

(57) Abstract :

A bunion toe correcting device, comprising a wearable body 1 developed to be equipped by a user, multiple straps 2 are arranged on the body 1 for allowing the user to secure the body 1 on the user's feet, an imaging unit 3 to determines deformity of toe of the user's feet, a telescopic pusher arranged within body 1 for extending to push toe in order to position toe at a correct position, a user interface for enabling user to input command regarding a mode of operation that user desires to perform, a robotic link 5 configured with a motorized scrubber 6 for positioning scrubber 6 at a heel portion of user's feet, an odor sensor for detecting odor of user's feet and an electronic nozzle 7 connected with a chamber 8 stored with a deodorizing liquid, for dispensing liquid on user's feet in order to eliminate detected odor.

No. of Pages : 14 No. of Claims : 4